Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	424	(709/205).CCLS. *	USPAT; USOCR	OR	OFF	2005/03/30 10:51
L2	5	I1 and wireless and encod\$3 near4 format\$1 and @ad<="20020304"	USPAT	OR	OFF	2005/03/30 11:24
L3	5	I1 and wireless and encod\$3 near1 format\$1 and @ad<="20020304"	USPAT	OR	OFF	2005/03/30 11:27
L4	0	I1 and wireless and (encod\$3 near1 format\$1) and (seven near2 bit) and @ad<="20020304"	USPAT	OR	OFF	2005/03/30 11:27
L5	1055	(709/206).CCLS.	USPAT; USOCR	OR	OFF	2005/03/30 11:28
L6	0	I5 and wireless and (encod\$4 near2 format) and (seven near2 bit) and unicode and @ad<="20020304"	USPAT	OR	OFF	2005/03/30 11:29
L7	1	I5 and wireless and (encod\$4 near2 format) and (seven near2 bit) and @ad<="20020304"	USPAT	OR	OFF	2005/03/30 11:31
L8	581	(709/246).CCLS.	USPAT; USOCR	OR	OFF	2005/03/30 11:31
L9	0	I8 and wireless and (encod\$4 near2 format) and (seven near2 bit) and @ad<="20020304"	USPAT	OR	OFF	2005/03/30 11:31
L10	660	(341/51).CCLS.	USPAT; USOCR	OR	OFF	2005/03/30 11:32
L11	0	I10 and wireless and (encod\$4 near2 format) and (seven near2 bit) and @ad<="20020304"	USPAT	OR	OFF	2005/03/30 11:34
L12	75	(370/271).CCLS.	USPAT; USOCR	OR	OFF	2005/03/30 11:32
L13	0	I12 and wireless and (encod\$4 near2 format) and (seven near2 bit) and @ad<="20020304"	USPAT	OR	OFF	2005/03/30 11:34
L14	398	(379/88.17).CCLS.	USPAT; USOCR	OR	OFF	2005/03/30 11:32
L15	0	I14 and wireless and (encod\$4 near2 format) and (seven near2 bit) and @ad<="20020304"	USPAT	OR	OFF	2005/03/30 11:34
L16	304	(370/260).CCLS.	USPAT; USOCR	OR	OFF	2005/03/30 11:33
L17	0	l16 and wireless and (encod\$4 near2 format) and (seven near2 bit) and @ad<="20020304"	USPAT	OR	OFF	2005/03/30 11:33
L18	4	l10 and wireless and (encod\$4 near2 format) and @ad<="20020304"	USPAT	OR	OFF	2005/03/30 11:34

L19	0	l12 and wireless and (encod\$4 near2 format) and @ad<="20020304"	USPAT	OR	OFF	2005/03/30 11:34
L20	2	l14 and wireless and (encod\$4 near2 format) and @ad<="20020304"	USPAT	OR	OFF	2005/03/30 11:35
S20	353	SMS and encod\$3 and (wireless or "Short Message Service") and memory	USPAT	OR	OFF	2005/03/29 17:20
S21	330	SMS and encod\$3 and (wireless or "Short Message Service") and memory and @ad<="20020304"	USPAT	OR	OFF	2005/03/28 13:45
S22	0	SMS and encod\$3 and (wireless or "Short Message Service") and memory and "seven-bit ASCII" and @ad<="20020304"	USPAT	OR	OFF	2005/03/28 13:45
S23	0	SMS and encod\$3 and (wireless or "Short Message Service") and memory and (seven adj bit) and @ad<="20020304"	USPAT	OR	OFF	2005/03/28 13:46
S24	330	SMS and encod\$3 and (wireless or "Short Message Service") and memory and @ad<="20020304"	USPAT	OR	OFF	2005/03/28 13:46
S25	0	SMS and encod\$3 and (wireless or "Short Message Service") and memory and (optimal adj format) and @ad<="20020304"	USPAT	OR	OFF	2005/03/28 13:46
S26	36	SMS and encod\$3 and (wireless or "Short Message Service") and memory and optimal and @ad<="20020304"	USPAT	OR	OFF	2005/03/28 13:55
S27	3	SMS and (encod\$3 near1 format) and (wireless or "Short Message Service") and memory and optimal and @ad<="20020304"	USPAT	OR	OFF	2005/03/29 10:40
S28	0	(text adj mesage\$) same (encod\$3 near1 format) and (wireless) and memory and optimal and @ad<="20020304"	USPAT	OR	OFF	2005/03/28 14:32
S29	175055	(text adj mesage\$) same (encod\$3 near1 format) optimal and @ad<="20020304"	USPAT	OR	OFF	2005/03/28 14:32
S30	0	(text adj mesage\$) same (encod\$3 near1 format) and optimal and @ad<="20020304"	USPAT	OR	OFF	2005/03/28 14:33
S31	0	(text adj mesage\$) same (encod\$3 near1 format)	USPAT	OR	OFF	2005/03/28 14:33
S32	0	(text adj mesage\$) and (encod\$3 near1 format)	USPAT	OR	OFF ·	2005/03/28 14:33

110	(text adj message\$) and (encod\$3 near1 format)	USPAT	OR	OFF	2005/03/28 14:33
0	(text adj message\$) and (encod\$3 near1 format)same optimal	USPAT	OR	OFF	2005/03/28 14:33
11	(text adj message\$) and (encod\$3 near1 format)and optimal	USPAT	OR	OFF	2005/03/28 14:33
4	(text adj message\$) and (encod\$3 near1 format)and optimal and wireless and @ad<="20020304"	USPAT	<b>OR</b>	OFF	2005/03/28 14:38
1	(text adj message\$) and (encod\$3 near1 format)and optimal and wireless and "SMS" and @ad<="20020304"	USPAT	OR	OFF	2005/03/28 14:36
2	(sms) and (encod\$3 near1 format) and text and optimal and wireless and @ad<="20020304"	USPAT	OR .	OFF	2005/03/28 14:39
24	(sms) and (encod\$3) and text and optimal and wireless and @ad<="20020304"	USPAT ·	OR	OFF	2005/03/28 14:41
64	(sms) and ((encod\$3)same text) and @ad<="20020304"	USPAT	OR	OFF	2005/03/28 14:42
22	(sms) and "text messages" and ((encod\$3)same text) and @ad<="20020304"	USPAT	OR	OFF	2005/03/28 14:51
0	(sms) and "text messages" and ((encod\$3)same text) and optimal and @ad<="20020304"	USPAT	OR	OFF 	2005/03/28 14:44
0	(sms) and "text messages" and ((encod\$3 adj format)same text) and @ad<="20020304"	USPAT	OR	OFF	2005/03/28 14:44
75	encod\$ and (sms) and "text messages" and @ad<="20020304"	USPAT	OR	OFF	2005/03/28 14:52
3352666	encod\$ and (sms) and "text messages" and "optimal"and @ad<="20020304"	USPAT	OR	OFF	2005/03/28 14:52
5	encod\$ and (sms) and "text messages" and "optimal" and @ad<="20020304"	USPAT	OR	OFF	2005/03/28 14:56
12	"optimal" same (encod\$ adj format) and @ad<="20020304"	USPAT	OR	OFF	2005/03/28 14:57
6	wireless and "optimal" same (encod\$ adj format) and @ad<="20020304"	USPAT	OR	OFF	2005/03/28 14:58
0	wireless and ("SMS" or "Short Message service") and "optimal" same (encod\$ adj format) and @ad<="20020304"	USPAT	OR	OFF	2005/03/28 14:59
	0 11 4 1 2 24 64 22 0 0 75 3352666 5	near1 format)  (text adj message\$) and (encod\$3 near1 format)same optimal  (text adj message\$) and (encod\$3 near1 format)and optimal  (text adj message\$) and (encod\$3 near1 format)and optimal and wireless and @ad<="20020304"  (text adj message\$) and (encod\$3 near1 format)and optimal and wireless and "SMS" and @ad<="20020304"  (sms) and (encod\$3 near1 format) and text and optimal and wireless and @ad<="20020304"  (sms) and (encod\$3) and text and optimal and wireless and @ad<="20020304"  (sms) and (encod\$3) and text and optimal and wireless and @ad<="20020304"  (sms) and (fencod\$3) same text) and @ad<="20020304"  (sms) and "text messages" and ((encod\$3)same text) and @ad<="20020304"  (sms) and "text messages" and ((encod\$3)same text) and optimal and @ad<="20020304"  (sms) and "text messages" and ((encod\$3)same text) and optimal and @ad<="20020304"  (sms) and "text messages" and (encod\$3 adj format)same text) and @ad<="20020304"  5 encod\$ and (sms) and "text messages" and @ad<="20020304"  encod\$ and (sms) and "text messages" and @ad<="20020304"  5 encod\$ and (sms) and "text messages" and "optimal"and @ad<="20020304"  5 encod\$ and (sms) and "text messages" and "optimal" and @ad<="20020304"  6 vireless and "optimal" and @ad<="20020304"  12 "optimal" same (encod\$ adj format) and @ad<="20020304"  6 vireless and "optimal" same (encod\$ adj format) and @ad<="20020304"  7 wireless and "optimal" same (encod\$ adj format) and @ad<="20020304"  8 vireless and "optimal" same (encod\$ adj format) and @ad<="20020304"  9 wireless and "optimal" same (encod\$ adj format) and @ad<="20020304"	near1 format)  (text adj message\$) and (encod\$3 near1 format)same optimal  (text adj message\$) and (encod\$3 near1 format)and optimal  (text adj message\$) and (encod\$3 near1 format)and optimal and wireless and @ad<="20020304"  (text adj message\$) and (encod\$3 near1 format)and optimal and wireless and "SMS" and @ad<="20020304"  (sms) and (encod\$3 near1 format) and text and optimal and wireless and @ad<="20020304"  (sms) and (encod\$3) and text and optimal and wireless and @ad<="20020304"  (sms) and (encod\$3) same text) and @ad<="20020304"  (sms) and (lencod\$3)same text) and @ad<="20020304"  (sms) and "text messages" and (encod\$3)same text) and @ad<="20020304"  (sms) and "text messages" and (encod\$3)same text) and @ad<="20020304"  (sms) and "text messages" and (encod\$3)same text) and optimal and @ad<="20020304"  (sms) and "text messages" and (encod\$3)same text) and optimal and @ad<="20020304"  (sms) and "text messages" and (encod\$3)same text) and optimal and @ad<="20020304"  (sms) and "text messages" and (encod\$3)same text) and optimal and @ad<="20020304"  (sms) and "text messages" and (encod\$3)same text) and optimal and @ad<="20020304"  (sms) and "text messages" and (encod\$3)same text) and optimal and @ad<="20020304"  (sms) and "text messages" and (encod\$3)same text) and encod\$3 and format) and encod\$3 and format) and encod\$4 and f	Near1 format   Near   Near	near1 format

S50	6	wireless and "optimal" same (encod\$ adj format) and @ad<="20020304"	USPAT	OR	OFF	2005/03/28 15:03
S51	0	wireless and "optimal" near1 (encod\$ adj format) and @ad<="20020304"	USPAT	OR	OFF	2005/03/28 15:04
S52	0	wireless and "optimal" with (encod\$ adj format) and @ad<="20020304"	USPAT	OR	OFF	2005/03/28 15:04
S53	6	wireless and "optimal" same (encod\$ adj format) and @ad<="20020304"	USPAT	OR	OFF	2005/03/28 15:08
S54	12	encod\$3 same "text messages" and (encod\$ adj format) and @ad<="20020304"	USPAT	OR	OFF	2005/03/28 16:57
S55	26	wireless and "text messages" and (encod\$ adj format) and @ad<="20020304"	USPAT	OR	OFF	2005/03/28 16:58
S56	752	(375/347).CCLS.	USPAT; USOCR	OR	OFF	2005/03/28 16:58
S57	6	S56 and (mobile or wireless) and "encoding format"	USPAT	OR	OFF	2005/03/28 17:03
S58	258	(mobile or wireless) and "encoding format"	USPAT	OR	OFF	2005/03/28 17:04
S59	17	(mobile or wireless) and (select\$ with "encoding format")	USPAT	OR .	OFF	2005/03/28 17:06
S60	11	(mobile or wireless) and (select\$ near4 "encoding format")	USPAT	OR	OFF	2005/03/28 18:14
S61	1	(mobile or wireless) and "text message" and (select\$ near4 "encoding format")	USPAT	OR	OFF	2005/03/28 18:16
S62	1	(mobile or wireless) and encod\$ and (seven adj bit) and (select\$ near4 "encoding format")	USPAT	OR	OFF	2005/03/28 18:22
S63	1	encod\$ and (seven adj bit) and (select\$ near4 "encoding format")	USPAT	OR	OFF	2005/03/28 18:22
S64	1815	encod\$ and (seven adj bit)	USPAT	OR	OFF	2005/03/28 18:22
S65	0	encod\$ and "seven bit" near2 default	USPAT	OR	OFF	2005/03/28 18:23
S66	33	encod\$ and "seven bit" near2 format\$3	USPAT	OR	OFF	2005/03/28 18:23
S67	3	encod\$ and "seven bit" near2 format\$3 and wireless	USPAT	OR	OFF	2005/03/28 18:26
S68	1	("5331431").PN.	USPAT; USOCR	OR	OFF	2005/03/29 10:13
S69	1	("5249220").PN.	USPAT; USOCR	OR	OFF	2005/03/29 10:13

S70	0	(wireless or "Short Message Service") and ((seven adj bit) with default) and memory and optimal and @ad<="20020304"	USPAT	OR	OFF	2005/03/29 10:41
S71	0	((seven adj bit) with default) and memory and optimal and @ad<="20020304"	USPAT	OR	OFF	2005/03/29 10:41
S72	0	encod\$3 and wireless and ((seven adj bit) same memory same optimal) and @ad<="20020304"	USPAT	OR	OFF	2005/03/29 10:42
S73	18	encod\$3 and wireless and ((seven adj bit)same memory) and @ad<="20020304"	USPAT	OR	OFF	2005/03/29 10:46
S74	0	encod\$3 and wireless and (chos\$ same ((seven adj bit)same memory)) and @ad<="20020304"	USPAT	OR	OFF	2005/03/29 10:49
S75	2	encod\$3 and wireless and (select\$ same ((seven adj bit)same memory)) and @ad<="20020304"	USPAT	OR	OFF	2005/03/29 10:53
S76	0	encod\$3 and wireless and (select\$ same ((seven adj bit)same format)) and @ad<="20020304"	USPAT	OR	OFF	2005/03/29 10:54
S77	18	encod\$3 and wireless and ((seven adj bit)same format) and @ad<="20020304"	USPAT	OR	OFF	2005/03/29 11:19
. S78	0.	encod\$3 and wireless and ((seven adj bit)same format same optimal) and @ad<="20020304"	USPAT	OR	OFF	2005/03/29 10:59
S79	3	encod\$3 and wireless and ((seven adj bit)same format same memory) and @ad<="20020304"	USPAT	OR	OFF	2005/03/29 10:59
S80	3	encod\$3 and wireless and ((seven adj bit)same format same memory) and @ad<="20020304"	USPAT	OR	OFF	2005/03/29 11:19
S81	1	compress\$3 and wireless and ((seven adj bit)same format same memory) and @ad<="20020304"	USPAT	OR	OFF	2005/03/29 11:21
S82	3	convert\$3 and wireless and ((seven adj bit)same format same memory) and @ad<="20020304"	USPAT	OR	OFF	2005/03/29 11:22
S83	3	wireless and ((seven adj bit)same format same memory) and @ad<="20020304"	USPAT	OR	OFF	2005/03/29 11:22
S84	21	wireless and ((seven adj bit)same format) and @ad<="20020304"	USPAT	OR	OFF	2005/03/29 11:22
S85	18	encod\$3 and wireless and ((seven adj bit)same format) and @ad<="20020304"	USPAT	OR	OFF	2005/03/29 11:26

S86	1	(encode same(seven adj bit)same format) and @ad<="20020304"	USPAT	OR	OFF	2005/03/29 11:30
S87	0	((seven adj bit)same (ISO adj Latin)) and @ad<="20020304"	USPAT	OR	OFF	2005/03/29 11:31
S88	0	((seven adj bit)same (ISO adj Latin)) and @ad<="20020304"	USPAT	OR	OFF	2005/03/29 11:31
S89	0	((seven adj bit)and (ISO adj Latin)) and @ad<="20020304"	USPAT	OR	OFF	2005/03/29 11:38
S90	112	((seven adj bit)and (ISO)) and @ad<="20020304"	USPAT	OR	OFF	2005/03/29 11:38
S91	11	((seven adj bit)same (ISO)) and @ad<="20020304"	USPAT	OR	OFF	2005/03/29 11:38
S92	0	((seven adj bit) same (ISO)same (unicode)) and @ad<="20020304"	USPAT	OR	OFF	2005/03/29 11:40
S93	0	((seven adj bit) same (ISO) and (unicode)) and @ad<="20020304"	USPAT	OR	OFF	2005/03/29 11:40
S94	141	((ISO) and (unicode)) and @ad<="20020304"	USPAT	OR	OFF	2005/03/29 11:40
S95	0	((ISO) and (unicode)and (seven adj bit)) and @ad<="20020304"	USPAT	OR	OFF	2005/03/29 11:41
S96	46	encod\$3 same ((ISO) and (unicode)) and @ad<="20020304"	USPAT	OR	OFF	2005/03/29 11:41
S97	29	encod\$3 same ((ISO) same (unicode)) and @ad<="20020304"	USPAT	OR	OFF	2005/03/29 11:41
S98	23	encod\$3 same ((ISO) with (unicode)) and @ad<="20020304"	USPAT	OR .	OFF	2005/03/29 11:41
S99	13	encod\$3 same ((ISO) near4 (unicode)) and @ad<="20020304"	USPAT	OR	OFF	2005/03/29 12:51
S10 0	2	encod\$3 same ((ISO) near4 (unicode)) and wireless and @ad<="20020304"	USPAT	OR	OFF	2005/03/29 12:55
S10 1	2	encod\$3 same ((ISO) with (unicode)) and wireless and @ad<="20020304"	USPAT	OR	OFF	2005/03/29 12:55
S10 2	6	encod\$3 with ((ISO) with (unicode)) and @ad<="20020304"	USPAT	OR	OFF	2005/03/29 13:41
S10 3	0	encod\$3 with select\$ with ((ISO) with (unicode)) and @ad<="20020304"	USPAT	OR	OFF	2005/03/29 13:41
S10 4	2	encod\$3 with ((ISO) with (unicode))and (select\$ near4 format) and @ad<="20020304"	USPAT	OR	OFF	2005/03/29 15:32
S10 5	1	("5249220").PN.	USPAT; USOCR	OR	OFF	2005/03/29 15:42
S10 6	1	("6560596").PN.	USPAT; USOCR	OR	OFF	2005/03/29 15:43

S10 7 .	1	("5347268").PN.	USPAT; USOCR	OR	OFF	2005/03/29 15:45
S10 8	1	("6745024").PN.	USPAT; USOCR	OR	OFF	2005/03/29 15:46
S10 9	0	("56751817").PN.	USPAT; USOCR	OR	OFF	2005/03/29 15:46
S11 0	1	("5675817").PN.	USPAT; USOCR	OR	OFF	2005/03/29 15:47
S11 1	1	("6829620").PN.	USPAT; USOCR	OR	OFF	2005/03/29 15:47
S11 2	1	("6560596").PN.	USPAT; USOCR	OR	OFF	2005/03/29 15:48
S11 3	10	mobile\$1 and ISO same unicode	USPAT	OR	OFF	2005/03/30 07:46
S11 4	3	mobile\$1 and (encod\$4 same ISO same unicode)	USPAT	OR	OFF .	2005/03/30 07:52
S11 5	1	mobile\$1 and (encod\$4 same ISO same UTF\$4 same unicode)	USPAT	OR	OFF	2005/03/30 07:53
S11 6	2	mobile\$1 and (ISO same UTF\$4 same unicode)	USPAT	OR	OFF	2005/03/30 07:53
S11 7	0	mobile\$1 and (ISO same (UTF near1 "7") same unicode)	USPAT	OR	OFF	2005/03/30 07:53
S11 8	0	mobile\$1 and ((UTF near1 "7") same unicode)	USPAT	OR	OFF	2005/03/30 07:54
S11 9 .	0	mobile\$1 and (("UTF-7") same unicode)	USPAT	OR	OFF	2005/03/30 07:54
S12 0	0	mobile\$1 and ((seven near bit) same unicode)	USPAT	OR	OFF	2005/03/30 07:55
S12 1	0	mobile\$1 and ((seven near1 bit) same unicode)	USPAT	OR	OFF	2005/03/30 07:55
S12 2	261	mobile\$1 and ((seven near1 bit) )	USPAT	OR	OFF	2005/03/30 07:55
S12 3	0	mobile\$1 and ((seven near1 bit)same ISO )	USPAT	OR	OFF	2005/03/30 07:55
S12 4	8	mobile\$1 and ((seven near1 bit) with format )	USPAT	OR	OFF	2005/03/30 08:09
S12 5	1	("6539118").PN.	USPAT; USOCR	OR	OFF	2005/03/30 08:35
S12 6	59	select\$3 near4 seven adj bit	USPAT	OR	OFF	2005/03/30 09:38
S12 7	1	("5757792").PN.	USPAT; USOCR	OR	OFF	2005/03/30 09:38
S12 8	1	("6233545").PN.	USPAT; USOCR	OR	OFF	2005/03/30 09:39
S12 9	1	("5838724").PN.	USPAT; USOCR	OR	OFF	2005/03/30 09:48

S13	0	diego adj kaplan	USPAT	OR	OFF	2005/03/30 10:51
U	į					1